



Media release

2 July 2020

Australian Broadband Data Demand: Victorian data demand surges above national average

- **Australian Broadband Data Demand** report highlights on the main nbn wholesale service:
 - **Weekly download throughput peak of 12.8 Terabits per second (Tbps) recorded on Saturday, 27 June during the Evening Busy Hours**
 - **Weekly upload throughput peak of 0.90 Tbps recorded on Sunday, 28 June during the Evening Busy Hours**

A 15 – 20 per cent surge in peak data demand on **nbn's** main wholesale access service was observed in Victoria last week as residents in areas of Melbourne spent more time at home.

Data demand in Melbourne from 22-28 June in particular has not followed the national trend of the last few weeks that has seen a relative easing of peak data demand elsewhere in Australia.

As Australians continue to rely on the **nbn** for their work, education and social needs, overall peak data demand on the **nbn's** main wholesale access service remains well above the pre-COVID baseline.

For the week from Monday, 22 June to Sunday, 28 June, peak download throughput (the measure of data flowing through the **nbn™** network) during the busy evening period increased by 16 per cent to 12.8 Terabits per second (Tbps) on the main **nbn** wholesale service, compared to the last week of February (which **nbn** measures as its normal pre-COVID-19 baseline).

Compared to the pre-COVID-19 baseline, peak download throughput during the week beginning Monday, 15 June during daytime business hours was up 10 per cent to 8.6Tbps. During early evening hours, demand on the main **nbn™** wholesale service was up 22 per cent to 12.0Tbps compared to the pre-COVID-19 baseline.

These figures are from *Australian Broadband Data Demand*, a weekly report into the peak throughput recorded in a week during daytime business hours, early evening hours and busy evening hours.

Downstream network usage




Peak upload throughput on the main **nbn™** wholesale service in the evening busy hours for the week beginning 22 June increased by 17 per cent to 0.90Tbps, compared to the pre-COVID-19 baseline. In the early evening hours, peak upload throughput increased 27 per cent to 0.86Tbps, and peak throughput during daytime business hours increased by 56 per cent to 0.78Tbps, compared to the pre-COVID-19 baseline.

Upstream network usage




Compared to the pre-COVID-19 baseline before social distancing measures were implemented, downstream network usage on the **nbn™** main wholesale service during business hours on 26 June 2020 was 33 per cent higher (as shown in the graph below at 11am) than pre-COVID-19.

Downstream network usage over 24 hours



Upstream network usage on the **nbn** main wholesale service during business hours on 26 June 2020 was 62 per cent higher (as shown in the graph below at 11am) than the pre-COVID-19 baseline.

Upstream network usage over 24 hours



The *Australian Broadband Data Demand* report is updated weekly on nbn's Transparency dashboard at: www.nbn.com.au/updates

For tips on how to make the most of your nbn connection and to learn more on what NBN Co is doing to support Australia through COVID-19, please visit: www.nbnco.com.au/campaigns/covid-19

Media enquiries:

Naomi Beames	NBN Co Media Hotline
Phone: 0414 621 767	Phone: 02 9927 4200
Email: naomibeames@nbnco.com.au	Email: media@nbnco.com.au



For further information, visit www.nbnco.com.au

Notes to editor:

- These metrics represent the upstream/downstream throughput peak each week, across the following three distinct periods:
 - o Business hours - Monday to Friday 8am to 4:59pm
 - o Early evening hours - Monday to Sunday 5pm to 7:59pm
 - o Evening busy hours - Monday to Sunday 8pm to 11:59pm
- For Business Hours, the peak is determined by taking the highest downstream throughput for our TC-4 service from the busiest 15-minute increment for downstream throughput, and from the busiest 30-minute increment for upstream, between Monday to Friday. The Early Evening Hours and Busy Evening Hours figures are recorded using the same methodology, but over a seven day period.
- TC-4 is nbn's standard wholesale broadband service that is designed primarily for general internet and standard data services across all access technologies.
- NBN Co considers the throughput peak metric for our TC-4 service as the most appropriate measure for growth in data flowing through the network as it shows when network use is at its highest in each defined period in a week for our wholesale access service most used for residential broadband services.
- This graph shows TC-4 usage (measured in terabits per second for both upstream and downstream) over a 24 hour period (using Australian Eastern Standard/Daylight time on the dates shown in the key). It compares the results from those two dates against a corresponding 24 hour period from nbn's pre-COVID-19 baseline on 28 February 2020 (the last week of February). Each marker on the x axis represents an hour period in the day. The y axis shows, for each of the 60 minute periods in that 24 hour period:
 - o The downstream throughput measure calculated by recording the highest downstream throughput for our TC-4 service from the busiest 15 minute increment in that 60 minute period.
 - o The upstream throughput measure calculated by recording the highest upstream throughput for our TC-4 service from the busiest 30 minute increment in that 60 minute period.
- The terabits per second (Tbps) value is rounded to one decimal place. The percentage increase is rounded to the nearest whole number.